



RENTAL PRODUCT CATALOGUE

Innovative mounting
solutions for
displays and
projectors



TABLE OF CONTENTS

Product Catalogue 2024



GENERAL

Introduction	3
--------------------	---

RENTAL

DISPLAY

DISPLAY - WALL-TRUSS MOUNTS.....	4
DISPLAY - FLOOR STANDS & TROLLEYS.....	6
Light Series Floor Stands & Trolleys	6
Heavy Duty Series Floor Stands & Trolleys	7
Stage Stands, Light and Heavy Duty Series	8
Display Hoister	9
DISPLAY MOUNTS	13

PROJECTOR

PROJECTOR - TRUSS MOUNTS.....	17
Truss mounts with ball joint.....	18
Lightweight Truss Mounts with fine adjustment.....	19
Heavy Duty Truss Mounts with fine adjustment.....	20
PROJECTOR - STACK FRAMES.....	22

VOGEL'S

MOUNTING SOLUTIONS

In addition to the current range of Vogel's Pro-AV products, SmartMetals Mounting Solutions products are also offered and sold by the Vogel's Group. With this merging of product portfolios, we offer a complete range for the AV market, such as video wall solutions, electric display lifts, projector mounts, stack frames and rental solutions. We do this for various market segments. This way, we serve the market even better.




WALL-TRUSS MODULES

The display wall and truss solutions can be implemented in several ways: as a temporary installation of one flat panel, as a Video Wall solution with multiple displays, to a wall, in a truss or flying.


All solutions have been developed with focus on practicality and ease of use.

BENEFITS

- ✓ For portrait and landscape
- ✓ Quick and easy to install
- ✓ Easy alignment



FIXED WALL-TRUSS MODULE FOR DISPLAY MOUNTS WITH THREE-POINT COUPLING



Article code

S063.0465



Colour



Max. load

80 kg



Position



Landscape & Portrait



Required

Display mount, see > page 13

TILTABLE WALL-TRUSS MODULE FOR DISPLAY MOUNTS WITH THREE-POINT COUPLING



Article code

S063.0460

	Colour	●
	Max. load	80 kg
	Position	Landscape & Portrait
	Other info	Excl. Doughty trigger clamps (2x 003.1128)



DOUGHTY TRIGGER CLAMP, MAX. 51 MM Ø

The Doughty Trigger Clamp is used for truss mounting with the SmartMetals rental mounts (002.16xx) and the wall-truss module (art. nr.: 063.0460).


Article code

S003.1128








Accessory



FLOOR STANDS & TROLLEYS

LIGHT SERIES



DIVISIBLE DISPLAY FLOOR STAND
MAX. 55 INCH, 30 KG





	Colour	
	Max. load	30 kg
	Max. inch	55 inch
	Position	Landscape & Portrait
	Required	Display mount, see > page 13
	Accessories	See page 10



Article code	L (L) max. (centre display)	Base plate L (L) x W
S062.8050	1766 mm	725 x 480 mm
S062.8050-225	2116 mm	950 x 480 mm

FLOOR STANDS & TROLLEYS





HEAVY DUTY SERIES



DIVISIBLE DISPLAY FLOOR STAND

Colour	
Position	Landscape & Portrait
Required	Display mount, see > page 14
Accessories	See from page 11

Article code	Max. load	Height (H)	Base plate L (L) x W (W)	Inch range
S062.1000	60 kg	1929 mm	950 x 480 mm	max. 65 inch
S062.3000	85 kg	1929 mm	1140 x 576 mm	max. 90 inch
S062.3000-225	85 kg	2279 mm	1140 x 576 mm	max. 90 inch



DIVISIBLE DISPLAY TROLLEY

Colour	
Position	Landscape & Portrait
Required	Display mount, see > page 14
Accessories	See from page 11

Article code	Max. load	Base plate L (L) x W (W)	Inch range
S062.1500	60 kg	900 x 563 mm	max. 65 inch
S062.3500	85 kg	1100 x 663 mm	max. 90 inch



STAGE STANDS

LIGHT & HEAVY DUTY SERIES



LIGHT SERIES - DISPLAY STAGE STAND (EXCL. BASE PLATE)

	Colour	●
	Max. load	30 kg
	Max. inch	Max. 55 inch
	Position	Landscape & Portrait
	Required	Display mount, see > page 13
	Accessories	See from page 10





Article code	Centre display (H)
S063.8635	304 mm
S063.8695	904 mm



HEAVY DUTY SERIES - DISPLAY STAGE STAND (EXCL. BASE PLATE)


	Colour	●
	Max. load	80 kg
	Max. inch	Max. 65 inch
	Position	Landscape & Portrait
	Required	Display mount, see > page 14
	Accessories	See from page 11



Article code	Centre display (H)
S063.0500	333 mm
S063.0595	1033 mm


ELECTRICAL DIVISIBLE STAND

Display Hoister



USE OF LARGE FORMAT DISPLAYS MADE EASY

This fully divisible floor stand is the perfect aid to electrically hoist displays with a maximum weight of 120 kg. With the integrated electrical hoist system it is very easy to hoist the monitor up to the preferred height. Add product 052.5075 with rotation function and you will also be able to rotate the display from landscape to portrait position.



Benefits

- ✓ Easy to install
- ✓ Health & Safety responsible use
- ✓ Effortless hoisting up to 120 kg

	Colour	
	Max. load	120 kg
	Position	Landscape, Portrait
	Required	Display mount below

Article code	Inch range
S062.7300	70-98 inch

Accessory




DISPLAY MOUNT WITH ROTATION

Universal rental display mount with rotation function and four point coupling. Max. load 160 kg.

Article code
S052.5075

ACCESSORIES

For Light Series Floor Stands & Trolleys



FLOOR PLATE
with pin

S063.8055




TROLLEY FRAME
with pin

S063.8555



STAND HEAD
with three-point
coupling

S063.8020



LAPTOP SUPPORT
surface 386x 308 mm

S063.8100

ACCESSORIES


For Heavy Duty Series Floor Stands & Trolleys



HOISTER SYSTEM for divisible floor stand

This hoister enables just one person to hoist a display up to 90 kg out of a flightcase. After it is taken out of the flightcase, the display is mounted to a fully divisible floor stand and the hoister is removed.

S063.0600




COUPLING BOLT 15 mm, M8x30, ring and nut

S063.1039-M8



front view



back view

STAND HEAD

For mounting more displays to your floor stand you need an additional stand head and display mount (see page 15).


Stand head contains two clamping strips, designed to offer a perfect fit in the T-slots on both sides of the column, preventing the display from sagging.

S063.1020



FLOOR STAND EXTENSION for fully divisible floor stands

Article code	Description
S063.0200	Stand extension 350 mm



FLOOR PLATES

Article code	Description
S063.1010	Floor plate for one display up to 65 inch, max. 60 kg (with pin)
S063.3010	Floor plate for one display up to 90 inch, max. 85 kg (with pin)



TROLLEY FRAMES

Article code	Description
S063.1510	Trolley frame for one display up to 65 inch, max. 60 kg (with pin)
S063.3510	Trolley frame for one display up to 90 inch, max. 85 kg (with pin)



LAPTOP SUPPORT

This laptop support can be mounted to the column over the full height.

Article code	Description
063.0100	Surface 386 x 308 mm


DISPLAY MOUNTS

With three point coupling

All our rental mounts are developed with quick and easy installation in mind.

By means of a three-point coupling system all mounts are easily combined with our truss/wall models and floor stands.


✓ Effortless installation




✓ Landscape & portrait



VESA 200 RENTAL DISPLAY MOUNT




	Colour	●
	Max. load	50 kg
	Position	Landscape & Portrait
	VESA	VESA 75, 100, 200 x 100, 200
	Note	Three point coupling









Article code

S063.0300

VESA 200, 400 X 200 RENTAL DISPLAY MOUNT








	Colour	●
	Max. load	50 kg
	Position	Landscape & Portrait
	VESA	VESA 200, 400 x 200
	Note	Three point coupling




Article code
S063.0305

VESA 300(-200), 400(-300/-200) RENTAL DISPLAY MOUNT



	Colour	●
	Max. load	80 kg
	Position	Landscape & Portrait
	VESA	VESA 300 x 300/200, 400 x 400/300/200
	Note	Three point coupling





Article code
S063.0310

DISPLAY MOUNTS

With three point coupling



VESA 300, 400(-200) RENTAL DISPLAY MOUNT



	Colour	●
	Max. load	80 kg
	Position	Landscape & Portrait
	VESA	VESA 300 x 300, 400 x 400/200
	Note	Three point coupling
	Other info	Does not combine with 063.0600 hoist system

Article code
S063.0315



VESA 600/800 x 400/200 RENTAL DISPLAY MOUNT



	Colour	●
	Max. load	80 kg
	Position	Landscape & Portrait
	VESA	VESA 600/800 x 400/200
	Note	Three point coupling

Article code	Width (W)	Length (L)
S063.0320	600 mm	640 mm

VESA MAX. 800 X 600 RENTAL DISPLAY MOUNT





	Colour	●
	Max. load	160 kg
	Position	Landscape & Portrait
	VESA	VESA 800 x 600/500/400/300/200
	Note	Three point coupling

Article code

S063.0335

DISPLAY MOUNT WITH ROTATION



	Colour	●
	Max. load	160 kg
	Position	Landscape & Portrait
	VESA	Max. 800 x 600 mm
	Note	Three point coupling

Article code	Rotation	Other information
S052.5070	With rotation 90°	Does not combine with 063.0465 wall-truss module

TRUSS MOUNTS

Our product assortment includes several solutions to hang a projector from a truss.

The solutions for projectors up to 25 kg include a ball joint, a ball joint clamp incl. handles to fasten without using tools and a bracket with quarter-turn latches. These components together allow a quick and easy installation of a projector. To mount the projector a projector-specific mount or a universal mount (rental version) is required.



The tube sets are electrically insulated, meaning the truss does not need to be taped to prevent screen problems. Furthermore the tube set is fitted with lifting eyes for safety lines.

A projector fine adjustment is added to our assortment for accurate installation. This solution allows a fine adjustment (-20° till $+20^\circ$) and a 90° degrees rotation is included. With our threaded fine adjustment it is possible to continuously pan and tilt the projector. This set allows direct mounting of the projector with its projector-specific mount or using a mount with quarter-turn latches in between. The projector fine adjustment can be mounted to a truss using two trigger clamps.



TRUSS MOUNTS

With ball joint





RENTAL SET 1, 130 MM FIXED FOR TRIGGER CLAMP, EXCLUDING MOUNT

	Colour	●
	Max. load	30 kg
	Note	Tilt +20° / -20°, rotation 360°
	Required	Projector-specific/universal mount
	Accessories	See from page 21
	Other info	Electrical insulation excluding Doughty Trigger Clamp (003.1128)

Article code

S002.1641





RENTAL SET 2 - 3, ADJUSTABLE EXCLUDING MOUNT

	Colour	●
	Max. load	30 kg
	Note	Tilt +20° / -20°, rotation 360°
	Required	Projector-specific/universal mount
	Accessories	See from page 21
	Other info	Electrical insulation excluding Doughty Trigger Clamp (003.1128)

Article code	Description	Length (L)
S002.1660	Set 2	463 - 713 mm
S002.1661	Set 3	713 - 1163 mm


LIGHTWEIGHT TRUSS MOUNTS

With fine adjustment



PROJECTOR FINE ADJUSTMENT EXCL. BRACKET, EXCL 2X TRIGGER CLAMP

	Colour	●
	Max. load	50 kg
	Required	Projector-specific mount
	Accessories	See from page 21
	Other info	Electrical insulation excluding Doughty Trigger Clamp (003.1128)



Article code


S002.1650

HEAVY DUTY TRUSS MOUNTS

With fine adjustment



TÜV & DGUV Certified




RENTAL MOUNT 150 MM FOR PROJECTOR MAX. 250 KG

Our rental mounts ensure a quick and easy installation of projectors in rental situations. The 002.4600 is a heavy duty projector mount for installation of projectors with a maximum weight of 250 kg in a truss.

It offers a tilt function of $+15^\circ$ until -15° and a further fine adjustment $+3^\circ$ until -3° . The rental mount has to be combined with a projector-specific mount, please contact us for the one that fits your projector.

The mounting pattern 100 x 100 mm makes it standard suitable to the most Panasonic and Barco stack frames.

This rental mount is thoroughly tested and has TÜV certification.



	Colour	●
	Max. load	250 kg
	Required	Projector-specific mount
	Note	Rotation 360°
	Accessories	See from page 21

Article code

S002.4600

ACCESSORIES

For truss mounts



DOUGHTY TRIGGER CLAMP

for rental set 1-3 and 002.1650

This Doughty Trigger Clamp can be used for truss mounting with the SmartMetals rental mount (002.16xx, and the wall-truss module (art. nr.: 063.0460).

S003.1128




UNIVERSAL MOUNT

for rental set 1-3,
max. Ø 378 mm

Besides the projector specific mount (custom-made to projector brand and type) a universal mount is available as well.


S002.1003

TÜV & DGUV Certified



TRUSS MOUNTING BAR

for rental mount 002.4600



S002.4610

STACK FRAMES




SMALL SERIES






TÜV & DGUV Certified

	Colour	●
	Max. load	100 kg
	Required	Projector mount (excl.), pls contact us
	Accessories	See page 23
	Other info	Max. stacked weight under top frame 275 kg

Article code	Description	Max. projector size (W x L x H)
S112.4200	Small 200	500 x 560 x 200 mm
S112.4210	Small 210	590 x 500 x 210 mm (deviating specifications, please see below)



Specifications for 112.4210 only:




ACCESSORIES

For stack frames



**DOUGHTY
TRIGGER
CLAMP**

S003.1128



**PROJECTOR
SPECIFIC
MOUNT**


S112.1001

TÜV & DGUV Certified



**STACK FRAME
CLAMP**
(40 x 40 tubes)

S112.1019



Contact details

BENELUX

Vogel's Professional Benelux
Hondsruglaan 93
5628 DB EINDHOVEN
The Netherlands
+31 (0)88 587 88 50

GERMANY/AUSTRIA/SWITZERLAND

Vogel's Products B.V.
In den Fichten 34
32584 LÖHNE
Germany
+ 49 (0)5731 869 170

OTHER COUNTRIES

Vogel's Products B.V.
Hondsruglaan 93
5628 DB EINDHOVEN
The Netherlands
+ 31 (0)40 264 74 00



Email & Website

professional@vogels.com
www.vogels.com
www.smartmetals.eu

2024 - Product Catalogue - Rental

The information contained in this catalogue is to be used only as a guide to assist with product selection. The products features and technical drawings set forth in this catalogue are subject to change due to product innovations. Please consider information on our website www.vogels.com in any case leading.

